

13
kW

POWERPROTECT.
Standby Generators



POWERFUL. RELIABLE. UNMATCHED.

PowerProtect™ 13kW¹ Standby Generator

Compact and versatile power.

With a 39% smaller footprint than other leading generators, the new PowerProtect 13kW Home Standby Generator provides the essential power you need during a power outage. Featuring a Vanguard® commercial-grade engine for unmatched top-tier performance and a robust warranty, this generator is perfect for powering homes with tight outdoor spaces and lot lines.

Briggs & Stratton® PowerProtect Generators provide comfort during power outages, shield against outage-related damage and costly disruptions, can lower your insurance premium, while enhancing your home's value.

Welcome to the future
of home backup
power solutions.



Engineered with
NGMax™

for superior power and performance

When choosing a standby generator, check the specifications closely. **Only Briggs & Stratton PowerProtect generators feature NGMax™ technology, delivering up to 13% more power on natural gas than the competition.** For homes with natural gas, Briggs & Stratton is the ideal choice.



Learn More

energy.briggsandstratton.com/powerprotect



BRIGGS&STRATTON
ENERGY SOLUTIONS

POWERPROTECT™

Standby Generators



Highest Rated Power Output on Natural Gas⁴

Engineered with NGMax for superior power and performance with convenient hookups for both liquid propane and natural gas.



Corrosion Protection

Reinforced, corrosion-resistant aluminum enclosures and bases with Dura-Zen™ coating for a long-lasting attractive appearance.



Vanguard® Commercial-Grade Engine

Designed for reliable, continuous performance—from the engine experts at Briggs & Stratton.



Most Comprehensive Warranty in the Industry³

No out of pocket costs; labor, parts, service all included. That's up to a \$849 value!



Eco-Cise™ Weekly Test Mode

Our short 16-second weekly test mode ensures your generator is in top operating condition while reducing noise and fuel consumption.



Superior Motor Starting

Best motor starting in the industry² to ensure smooth operation of your large appliances during startup. More power² than the competition.



Power Your Essentials

Customizable to your home's power needs, our optional Symphony® Choice Power Management system allows you to use a smaller, more affordable generator to prioritize your power needs.



EnergyTrak™ Remote Monitoring

Get the most from your generator investment with EnergyTrak™ remote monitoring. Monitor your generator from anywhere with the convenient mobile app, for ultimate piece of mind.



In-House Call Support

Enjoy direct access to our US-based Briggs & Stratton energy experts whenever you need them.

Compared to the Competition

39%
SMALLER
FOOTPRINT⁵

7-YR
COMPREHENSIVE
WARRANTY

Expertise and Quality You Can Trust.

With 115+ years of experience providing power solutions, Briggs & Stratton is a brand homeowners trust. Our products are engineered and assembled in the USA and our customers can rely on us for exceptional performance and durability.

Our commitment to delivering the most powerful and reliable home standby generators in the industry ensures that you have the peace of mind you deserve when it comes to safeguarding your home's power supply. Say hello to a new era of standby energy and **keep powering forward™**.

¹ This generator is rated in accordance with UL (Underwriters Laboratories) 2200 (stationary engine generator assemblies) and CSA (Canadian Standards Association) standard C22.2 No. 100-14 (motor and generators).

² In its named class.

³ See operator's manual or energy.briggsandstratton.com for complete warranty details.

⁴ Compared to other leading home standby generators of similar power output.

⁵ 50% smaller footprint than competitors.

⁶ Of global and US parts



BRIGGS & STRATTON
POST OFFICE BOX 702
MILWAUKEE, WI 53201 USA



MORE POWER IN MORE PLACES

POWERPROTECT™



RESIDENTIAL STANDBY GENERATOR SPECIFICATIONS

OVERVIEW	
Brand	Briggs & Stratton
Series Name	PowerProtect™
Model Name	PP13
Power, Standby (LP/NG) (kW)¹	13 / 11.5
Rated AC Voltage (Volts)¹	120 / 240
Rated Frequency (Hz)¹	60
Generator Breaker (Amps)	70
Operating Ambient Temperature (no warmers installed) (°C / °F)	-1 to 40 / 30 to 104
Operating Ambient Temperature (cold start battery, battery warmer, fuel regulator warmer, and oil warmer installed) (°C / °F)	-28 to 40 / -20 to 104
Rated Amperage, Standby (LP/NG) (Amps)¹	54.2 / 47.9
Rated Power Factor	1.0
Engine	
Engine Brand/Manufacturer	Vanguard
Model Type	M38
Aspiration	Naturally Aspirated
Speed (RPM)	3600
Displacement (ci/cc)	38 / 627
Compression Ratio	8.3:1
Governor Type	SAE J1444 Class B Frequency Regulation
Bore & Stroke (in/mm)	2.97 x 2.76 / 75.5 x 70.1
Cylinder Block	Aluminum w Cast Iron Sleeve
Valve Arrangement	OHV

PP13

POWERPROTECT

RESIDENTIAL STANDBY GENERATOR SPECIFICATIONS



BRIGGS & STRATTON
ENERGY SOLUTIONS

Engine	
Engine Cylinder Configuration	V
Number of Cylinders	2
Start Type	Automatic, Starter Motor
Air Filter Type	Dry
Low Oil Pressure Switch	Yes
Engine Oil Heater	Available as an Accessory
Rated Temperature (°F/°C)	77 / 25
Sound Rating	
Low Idle Mode Sound dB(A) ²	65
Normal Operating Sound dB(A) ²	69
Lubrication System	
Type	Full Pressure
Oil Capacity (oz/L)	48 / 1.42
Oil Filter (Quantity/Type)	1 / Cartridge
Recommended Oil	5W30 Full Synthetic
Electrical System	
Ignition System	Variable Timing
Battery Quantity	1
Battery Voltage (VDC)	12
Battery CCA (Amps)	540
Battery BCI Group Size	26 or 51
Starter Motor Voltage (VDC)	12
Fuel System	
Fuel Type	NG / LPV
Fuel Supply Line Inlet	3/4" NPT
Recommended Fuel, Lower Heating Value Minimum (MJ/m ³ / BTU/ft ³)	NG: 34.3 / 904 LPV: 87.1 / 2338
Fuel Supply Pressure (mbar/in H ₂ O)	NG: 9-17 / 3.5-7 LPV: 28-34 / 11-14
Fuel Consumption ³	
No Load, NG (BTU/hr)	65,000
No Load NG (ft ³ /hr)	65
Half Load, NG (BTU/hr)	119,000

PP13

POWERPROTECT

RESIDENTIAL STANDBY GENERATOR SPECIFICATIONS



BRIGGS & STRATTON
ENERGY SOLUTIONS

Fuel Consumption ³	
Half Load, NG (ft ³ /hr)	119
Full Load, NG (BTU/hr)	212,000
Full Load, NG (ft ³ /hr)	212
No Load, LP (BTU/hr)	70,000
No Load, LP (ft ³ /hr)	28
No Load, LP (gal/hr)	0.8
Half Load, LP (BTU/hr)	154,000
Half Load, LP (ft ³ /hr)	62
Half Load, LP (gal/hr)	1.7
Full Load, LP (BTU/hr)	258,000
Full Load, LP (ft ³ /hr)	103
Full Load, LP (gal/hr)	2.9
Alternator Specifications	
Alternator Type	Synchronous, Self-Excited, Rotating Field
Alternator Manufacturer	MeccAlte
Rated Frequency (Hz) ¹	60
Rated Phase ¹	1
Insulation Rating (Class)	H
Designed Temperature Rise (°C)	135
Bearing (Quantity/Type)	1 / Sealed
Number of Poles	2
Voltage Regulator	Brushed / Electronic
Motor Starting Capability (kVA)	37
Total Harmonic Distortion (THD), NL to FL (%)	< 5
Controls / Instrumentation	
Controller	GC-1032
Charger	Stand Alone
Starting	AMF or 2-wire
LCD Display with Fault Code Indications	Yes
Real Time Clock	Yes
Engine Hour Counter	Yes
Engine Runtime Scheduler	Yes

PP13

POWERPROTECT

RESIDENTIAL STANDBY GENERATOR SPECIFICATIONS



BRIGGS & STRATTON
ENERGY SOLUTIONS

Controls / Instrumentation	
Low Oil Pressure Shutdown	Yes
High Temperature Shutdown	Yes
Other Features	
Battery Rack and Cables	Yes
Fuel Solenoid Valve	Yes
Integral Vibration Isolation	Yes
Oil Drain Extension	Yes
Operation and Installation Manual(s)	Yes
Enclosure	Aluminum
Enclosure Wind Speed Rating (mph)	186
Accessories	
Maintenance Kit	6873
Oil Warmer	6922
Fuel Regulator Warmer	6961
Battery Warmer	6960
Limited Warranty ⁴	
Warranty: Generator, USA & Canada Emergency Stationary Use (Parts / Labor / Travel) – Years	7
Warranty: Enclosure, Surface Rust and Corrosion (Parts / Labor / Travel) – Years	1
Warranty: Enclosure, Rust Through (Parts / Labor / Travel) – Years	3
Certifications	
UL	Yes
cUL	Yes
FCC	Yes
Massachusetts Plumbers and Gasfitters	Yes
NFPA 37	18" Installation Clearance from House ⁵

PP13


POWERPROTECT

RESIDENTIAL STANDBY GENERATOR SPECIFICATIONS




BRIGGS & STRATTON
ENERGY SOLUTIONS

Weights & Dimensions	
Assembled Dimensions (Length x Width x Height) (in / mm)	28 x 25 x 38 / 719 x 646 x 956
Assembled Weight (lbs / kg)	315 / 143
Packaged Dimensions (Length x Width x Height) (in / mm)	34 x 29 x 45 / 873 x 724 x 1148
Packaged Weight (lbs / kg)	370 / 168
Outline and Pad Layout Drawing	80113669



28 in (719 mm)



38 in (956 mm)

25 in (646 mm)



¹ This generator is rated in accordance with UL (Underwriters Laboratories) 2200 (stationary engine generator assemblies) and CSA (Canadian Standards Association) standard C22.2 No. 100-14 (motor and generators).

² Per ISO 3744. Sound level measurement at other locations around generator may differ depending on installation, based on lowest microphone at 7m. Normal operation based on average household usage.

³ Fuel consumption rates are estimated based on normal operating conditions. Generator operation may be greatly affected by elevation and the cycling operation of multiple electrical appliances — fuel flow rates may vary depending on these factors.

⁴ See operator's manual or energy.briggsandstratton.com for complete warranty details.

⁵ Listing and labeling to NFPA 37 per Southwest Research Institute.

⁶ Of domestic and foreign components.

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice.

This standby generator is not for Prime Power applications.

Please visit energy.briggsandstratton.com for the latest information.

BS1533 - 04/01/26

BRIGGS & STRATTON
POST OFFICE BOX 702
MILWAUKEE, WI 53201 USA

Copyright © 2026 Briggs & Stratton. All rights reserved.